		то а	PPROPRIATE	APPLICATIO	WATERS OF	THE STATE (	Serial No. OF NEVADA	15775
11	1 6 G LAT	neu to ap	receipt ar plicant fo ication fi	nd filing in or correctio led	State En	gineer's of	fice SEP 1	7 1954 6 1954
		The unde	-	Americ	Na	me of applicant	ark	
S	tate	· .						ation for
			·. ·	te the publi applicant				•
- 1				26, 1954 -			**	
1	T			roposed appr rtesian Bas		isUndergro Name	und (Wel	1 No. 1)
2		,		applied for	One seco	and-foot equals 40 manes		cond-feet
4	T	he water	is to be d	liverted fro	Irrigation, power, om its soul	mining, manufacturing, rce at the	followin	g point:
7 -	Describe	s being within a 40	-acre subdivision of p	ablic survey, or by comme said Sec. 2	e and distance to a se	ection corner. If on un	surveyed land, it s	hould be so stated.
	The state of the s	IF THE WA	lter is to be 1	USED FOR IRRIGA	ATION, SUPPLY	THE FOLLOWIN	IG INFORMAT	
(			40105 00	be irrigate l to be irri	gated	by legal subdivision, o	or if on unsurveyed	i land it should
	be so	stated and a descrip	ption provided in acco	ordance with special met	· · · · · · · · · · · · · · · · · · ·	· •		
1								
()	]			· · · · · · · · · · · · · · · · · · ·				
	c)	Use will	begin abo	ut Jan. 1 a	ınd end abo	out Dec. 31	_, of eac	h year.
			· · · · · · · · · · · · · · · · · · ·	Month  E POWER, MININ	IG, STOCK WAT	Month ERING, OR OTHE		
(	d)	Fwater is t	ro be used fo be develop	Month  E POWER, MININ  FOLLOWING	G, STOCK WAT INFORMATION	Month ERING, OR OTHE N horse	er use, supp	LY THE
	d)	Fwater is to	to be used for $ extbf{be}$ develop $ extbf{use} = rac{E_2^{\frac{1}{2}} -  ext{SE}_1^{\frac{1}{2}}}{ ext{SE}_1^{\frac{1}{2}}}$	Month  R POWER, MININ  FOLLOWING  ped is  Sec. 25,	IG, STOCK WAT INFORMATION  T. 20 S., ive location of place of	Month ERING, OR OTHE N horse	power. M.D.B.&	LY THE
**************************************	d)	Fwater is to	to be used for $ extbf{be}$ develop $ extbf{use} = rac{E_2^{\frac{1}{2}} - \text{SE}_1^{\frac{1}{2}}}{ ext{SE}_1^{\frac{1}{2}}}$	Month  R POWER, MININ  FOLLOWING  ped is  Sec. 25,	IG, STOCK WAT INFORMATION  T. 20 S., ive location of place of	Month ERING, OR OTHE N horse	power.  M.D.B.&	LY THE
	d))	Power to Place of Point of	to be used for the develop use $\frac{E_2^{\frac{1}{2}} - SE_1^{\frac{1}{2}}}{1}$ return of	Month  R POWER, MININ  FOLLOWING  ped is  Sec. 25,	T. 20 S., ive location of place of	Month  ERING, OR OTHE  N  horse  R. 60 E.,  use by legal subdivision  Describe in same n	power.  M.D.B.&	LY THE
	d. ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) )	Power to Place of Point of State num	to be used for the development $E^{\frac{1}{2}}$ $SE_{1}$ return of the and $k_{1}$ begin about	Month  R POWER, MININ FOLLOWING  ped is  Sec. 25,  Gi  water to st	T. 20 S., ive location of place of tream	Month ERING, OR OTHE N horse R. 60 E.  Just by legal subdivision Describe in same in	power. M.D.B.&	I Y THE

American Homes, Inc.  Applicant.  By /8/L.E. Tyson  L.E. Tyson  Compared  Approval. of state Engineer.  APPROVAL of State Engineer  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and is unitness subject to revocation when water is available from the Las Vegas alley Water District, and is limited to what the well will produce but of execution the following limitations and inference of the state of the	DESCRIPTION OF PROPOSED WORKS	200
American Homes, Inc.  Applicant.  By /s/L.E. Tyson  L.E. Tyson  This sheet inspected.  APPROVAL of STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is tassed subject to existing rights and is unflicted by the Thirt of the properties of the pro		
S. Estimated cost of works \$10,000  3. Estimated time required to construct works 45 days  7. Remarks	miscellaneous size pipes to points of use.	
American Homes, Inc.  Applicant.  By /s/L.E. Tyson  L.E. Tyson  APPROVAL of STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and incompletions: This permit is issued subject to existing rights and is urther subject to revocation when water is available? From the Las Vegas alley Water District, and is limited to what the well will produce but on the conditions; the point of diversion, and accurate measurements must be kepting. The point of diversion, and accurate measurements must be kepting. The point of diversion, and accurate measurements must be kepting. The point of diversion, and accurate measurements must be kepting. The point of of the 1939 foround-Mater Aut (Table, 178, State, 293) as identically described within an area designated by the State in the right to regulate the use of the witer setting and all times. The measurement of the water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50.  The of commencement of work shall be filed before. November 5, 1955 when the state results reasonable diligence and be completed on or before october 5, 1956.  The of completion of work shall be filed before. November 5, 1956 beginning that the state Engineer on or before. November 5, 1957 are must be filed with State Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or befo	is to be stored in reservoirs, it knowled be so stated and the location of the reservoir should be given with reference to the legal subdivisions	
American Homes, Inc.  Applicant.  By /s/L.E. Tyson  L.E. Tyson  APPROVAL of STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and incompletions: This permit is issued subject to existing rights and is urther subject to revocation when water is available? From the Las Vegas alley Water District, and is limited to what the well will produce but on the conditions; the point of diversion, and accurate measurements must be kepting. The point of diversion, and accurate measurements must be kepting. The point of diversion, and accurate measurements must be kepting. The point of diversion, and accurate measurements must be kepting. The point of of the 1939 foround-Mater Aut (Table, 178, State, 293) as identically described within an area designated by the State in the right to regulate the use of the witer setting and all times. The measurement of the water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50.  The of commencement of work shall be filed before. November 5, 1955 when the state results reasonable diligence and be completed on or before october 5, 1956.  The of completion of work shall be filed before. November 5, 1956 beginning that the state Engineer on or before. November 5, 1957 are must be filed with State Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or befo		
American Homes, Inc.  Applicant.  By /s/L.E. Tyson  L.E. Tyson  APPROVAL of STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and incompletions: This permit is issued subject to existing rights and is urther subject to revocation when water is available? From the Las Vegas alley Water District, and is limited to what the well will produce but on the conditions; the point of diversion, and accurate measurements must be kepting. The point of diversion, and accurate measurements must be kepting. The point of diversion, and accurate measurements must be kepting. The point of diversion, and accurate measurements must be kepting. The point of of the 1939 foround-Mater Aut (Table, 178, State, 293) as identically described within an area designated by the State in the right to regulate the use of the witer setting and all times. The measurement of the water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50.  The of commencement of work shall be filed before. November 5, 1955 when the state results reasonable diligence and be completed on or before october 5, 1956.  The of completion of work shall be filed before. November 5, 1956 beginning that the state Engineer on or before. November 5, 1957 are must be filed with State Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or before November 5, 1957 beginning and the state Engineer on or befo		
American Homes, Inc.    Applicant.   By	5. Estimated cost of works \$10,000	
American Homes, Inc.    Applicant.   By   /8 / L. E. Tyson   L. E. Tyson	6. Estimated time required to construct works 45 days	
American Homes, Inc.  By /S/L. E. Tyson  L. E. Tyson  L. E. Tyson  This sheet inspected  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and isomiditions: This permit is issued subject to existing rights and is unther subject to revocation when water is available from the Las vegas alley Water District, and is limited to what the well will produce but to exceed 0.50 c.f.s. A meter must be installed in the discharge in water placed to beneficial use. It is understood that this right to favore the product of diversion, and accurate measurements must be keep in water placed to beneficial use. It is understood that this right to solve the State Engineer pursuant to estion 4 of the 1939 Ground Water Act (Chap. 170, Stats. 1939 as general to estion 4 of the 1939 Ground Water Act (Chap. 170, Stats. 1939 as general refore the State retains the right to regulate the use of the water retains the of water to be apprepriated shall be limited to the amount of water to be apprepriated shall be limited to the amount of water to be apprepriated shall be fined before November 5, 1955 for most of commencement of work shall be filed before November 5, 1955 for most of commencement of work shall be filed before. November 5, 1955 for most of completion of work shall be filed before. November 5, 1957 for of completion of work shall be filed before. November 5, 1957 for of completion of work shall be filed before. November 5, 1957 for of completion of water to beneficial use shall be made on or before. October 5, 1957 for of the application of water to beneficial use shall be made on or before. October 5, 1957 for of the spuricus of water to beneficial use shall be made on or before. October 5, 1957 for of the spuricus of water to beneficial use shall be made on or before. October 5, 1957 for of the spuricus of water to beneficial use shall be made on or before. October 5, 1957 for of the spuricus of water to beneficial u		' ' i
By /s/L. E. Tyson  L. E. Tyson  This sheet inspected	Pot use of approant	
By /s/L. E. Tyson  L. E. Tyson  This sheet inspected		
By /s/L. E. Tyson  L. E. Tyson  This sheet inspected		
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is within the same, subject to the following limitations and somitions: This permit is issued subject to existing rights and is within the subject to revocation when water is available from the Las Vegas alley water District, and is limited to what the well will produce but of the exceed 0.50 c.1.8. A meter must be installed in the discharge of the near the point of diversion, and accurate measurements must be keep water placed to beneficial use. It is understood that this right must be placed to beneficial use. It is understood that this right must be located within an area designated by the State Engineer bursuant to section 4 of the 1939 Ground-Water Act (Chap. 176, State. 1939 as amende herefore the State retains the right to regulate the use of the water seeing granted at any and all times.  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50  The contraction work shall begin on or before october 5, 1955  The contraction of work shall be filed before not movember 5, 1955  The publication of water to beneficial use shall be made on or before october 5, 1956  The publication of water to beneficial use shall be made on or before october 5, 1956  The publication of water to beneficial use shall be made on or before october 5, 1957  The publication of water to beneficial use shall be made on or before october 5, 1956  The publication of water to beneficial use shall be made on or before october 5, 1957  The publication of water to beneficial use shall be made on or before october 5, 1957  The publication of water to beneficial use shall be made on or before october 5, 1957  The publication of water to beneficial use shall be made on or before october 5, 1957  The publication of water to beneficial use shall be made on or before octo	American Homes, Inc. , Applicant.	
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is within the same, subject to the following limitations and somitions: This permit is issued subject to existing rights and is within the subject to revocation when water is available from the Las Vegas alley water District, and is limited to what the well will produce but of the exceed 0.50 c.1.8. A meter must be installed in the discharge of the near the point of diversion, and accurate measurements must be keep water placed to beneficial use. It is understood that this right must be placed to beneficial use. It is understood that this right must be located within an area designated by the State Engineer bursuant to section 4 of the 1939 Ground-Water Act (Chap. 176, State. 1939 as amende herefore the State retains the right to regulate the use of the water seeing granted at any and all times.  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50  The contraction work shall begin on or before october 5, 1955  The contraction of work shall be filed before not movember 5, 1955  The publication of water to beneficial use shall be made on or before october 5, 1956  The publication of water to beneficial use shall be made on or before october 5, 1956  The publication of water to beneficial use shall be made on or before october 5, 1957  The publication of water to beneficial use shall be made on or before october 5, 1956  The publication of water to beneficial use shall be made on or before october 5, 1957  The publication of water to beneficial use shall be made on or before october 5, 1957  The publication of water to beneficial use shall be made on or before october 5, 1957  The publication of water to beneficial use shall be made on or before october 5, 1957  The publication of water to beneficial use shall be made on or before octo	By /s/ L. E. Tyson	
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is purther subject to revocation when water is available from the Las Vegas alley Water District, and is limited to what the well will produce but of the exceed 0.50 c.f.s. A meter must be installed in the discharge plane, the produce but of the exceed 0.50 c.f.s. A meter must be installed in the discharge plane, and accurate measurements must be keep feater the point of diversion, and accurate measurements which be keep feater by a reasonable lowering of the static water level. This source is located within an area designated by the State Engineer pursuant to ection 4 of the 1939 Ground-Mater Act (Chap. 176, State. 1939 as agendence for the State retains the right to regulate the use of the water erein granted at any and all times.  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50  The construction work shall begin on or before 0ctober 5, 1955  The construction work shall begin on or before November 5, 1955  The proof of commencement of work shall be filed before November 5, 1955  The publication of water to beneficial use shall be made on or before 0ctober 5, 1956  The publication of water to beneficial use shall be made on or before 0ctober 5, 1957  The publication of water to beneficial use shall be made on or before 0ctober 5, 1957  The publication of water to beneficial use shall be made on or before 1957  The publication of water to beneficial use shall be made on or before 1957  The publication of water to beneficial use shall be made on or before 1957  The publication of water to beneficial use shall be made on or before 1957  The publication of water to beneficial use shall be made on or before 1957  The publication of water to beneficial use shall be made on or before 1957  The publication of water to beneficial use sh	L. E. Tyson	,
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is urther subject to revocation when water is available from the Las Vegas alley Water District, and is limited to what the well will produce but of to exceed 0.50 c.f.s. A meter must be installed in the discharge pi ine, near the point of diversion, and accurate measurements must be kepf water placed to beneficial use. It is understood that this right must low for a reasonable lowering of the static water level. This sources located within an area designated by the State Engineer Dursuant to exciton 4 of the 1930 Cround-Water Act (Chap. 176, Stats. 1939 as amende herefore the State retains the right to regulate the use of the water when amount of water to be appropriated shall be limited to the amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50 cross for commencement of work shall begin on or before. October 5, 1955 cross of commencement of work shall be filed before. November 5, 1955 cross of completion of work shall be filed before. November 5, 1956 cross of completion of work shall be made on or before. October 5, 1957 cross of completion of work shall be shall be made on or before. October 5, 1957 pplication of water to beneficial use shall be made on or before. October 5, 1957 are must be filed with State Engineer on or before November 5, 1957 and the same and the same and the same and shall be same be filed with State Engineer on or before November 5, 1957 and the same and shall be same and shall be same and shall be same be filed with State Engineer on or before November 5, 1957 and same and shall be same and shall		
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is surther subject to revocation when water is available from the Las Vegas alley Water District, and is limited to what the well will produce but of to exceed 0.50 c.f.s. A meter must be installed in the discharge pi ine, near the point of diversion, and accurate measurements must be kepf water placed to beneficial use. It is understood that this right mus flow for a reasonable lowering of the static water level. This sources located within an area designated by the State Engineer pursuant to exciton 4 of the 1939 Ground-Water Act (Chap. 176, Stats. 1939 as senence herefore the State retains the right to regulate the use of the water evel in granted at any and all times. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50 while foot per second.  The construction work shall begin on or before October 5, 1955 where the second of commencement of work shall be filed before November 5, 1955 where of completion of work shall be filed before. November 5, 1956 where of completion of work shall be shall be made on or before October 5, 1957 before of completion of work shall be shall be made on or before October 5, 1957 begin for the application of water to beneficial use shall be made on or before October 5, 1957 begin for the application of water to beneficial use shall be made on or before October 5, 1957 begin for the application of water to beneficial use shall be made on or before October 5, 1957 begin for the application of water to beneficial use shall be made on or before October 5, 1957 begin for the shall be formed to work field of the shall be made on or before October 5, 1957 begin for the shall be shall be made on or before October 5, 1957 begin for the shall be shall be made on or before October 5, 1957 begin for the shall be		,
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is urther subject to revocation when water is available from the Las Vegas alley Water District, and is limited to what the well will produce but of to exceed 0.50 c.f.s. A meter must be installed in the discharge pine, near the point of diversion, and accurate measurements must be kep f water placed to beneficial use. It is understood that this right must llow for a reasonable lowering of the static water level. This source slocated within an area designated by the State Engineer pursuant to extlon 4 of the 1939 Ground water act (Chap. 175, Stats. 1939 as mende herefore the State retains the right to regulate the use of the water erein granted at any and all times.  The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50.  The control of commencement of work shall be filed before November 5, 1955 or work must be prosecuted with reasonable diligence and be completed on or before October 5, 1956.  The control of completion of work shall be filed before November 5, 1956 or work of completion of water to beneficial use shall be made on or before October 5, 1957.  Proof of completion of work shall be filed before November 5, 1956 or publication of water to beneficial use shall be made on or before October 5, 1957.  Proof of the application of water to beneficial use shall be made on or before October 5, 1957.  Proof of the application of water to beneficial use shall be made on or before October 5, 1957.  WITHERS MY HAND AND SEAL this 5th day of Completion of work filed (NOV.2) 1838.  OCTOBER SECTION 18 1850 of April 1955  CENTRICAL USE SILED NOV.2 1838.  OCTOBER SECTION 2 1838.  CENTRICAL USE SILED NOV.2 1838.	, Engineer.	: 5
and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is urther subject to revocation when water is available from the Las Vegas alley Water District, and is limited to what the well will produce but on to exceed 0.50 c.f.s. A meter must be installed in the discharge pi ine, near the point of diversion, and accurate measurements must be kep water placed to beneficial use. It is understood that this right must low for a reasonable lowering of the static water level. This sdurce is located within an area designated by the State Engineer pursuant to ection 4 of the 1939 Ground-Water Act (Chap. 178, Stats, 1939 as imendence force the State retains the right to regulate the use of the water erein granted at any and all times. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50.  The amount of water to be enficial use, and not to exceed 0.50.  The construction work shall begin on or before 0ctober 5, 1955 or water of commencement of work shall be filed before. November 5, 1955 or cord of commencement of work shall be filed before. November 5, 1956 or completion of water to beneficial use shall be made on or before 0ctober 5, 1957 . Proof of the application of water to beneficial use shall be made on or before 0ctober 5, 1957 . Proof of the application of water to beneficial use must be filed with State Engineer on or before November 5, 1957 . Proof of the application of water to beneficial use must be filed with State Engineer on or before November 5, 1957 . Proof of the application of water to beneficial use must be filed with State Engineer on or before November 5, 1957 . Proof of the application of water to beneficial use must be filed with State Engineer on or before November 5, 1957 . Proof of the application of water to beneficial use of April 1955 . State Engineer.	APPROVAL OF STATE ENGINEER	
onditions: This permit is issued subject to existing rights and is urther subject to revocation when water is available from the Las Vegas alley Water District, and is limited to what the well will produce but of to exceed 0.50 c.f.s. A meter must be installed in the dischaige pine, near the point of diversion, and accurate measurements must be kep water placed to beneficial use. It is understood that this right must low for a reasonable lowering of the static water level. This source solocated within an area designated by the State Engineer pursuant to exclien 4 of the 1939 Ground-Water Act (Chap. 178, Stats. 1939 as amende ereing ranted at any and all times. The amount of water to be appropriated shall be limited to the amount hich can be applied to beneficial use, and not to exceed 0.50  ubic feet per second.  Ctual construction work shall begin on or before October 5, 1955  proof of commencement of work shall be filed before November 5, 1955  ork must be prosecuted with reasonable diligence and be completed on or efore October 5, 1956  roof of completion of work shall be filed before November 5, 1956  roof of completion of work shall be filed before November 5, 1956  roof of completion of work shall be filed before November 5, 1956  roof of completion of work shall be filed before November 5, 1956  roof of completion of work shall be filed before November 5, 1956  roof of completion of work shall be filed before November 5, 1957  State Engineer.  October 5, 1957  Proof of the application of water to beneficial use must be filed with State Engineer on or before November 5, 1957  State Engineer.  October 5, 1957  October 5, 1958  October 5, 1958  October 5, 1958  October 5, 1	This is to certify that I have examined the foregoing applicat	on,
alley Water District, and is limited to what the well will produce but of to exceed 0.50 c.f.s. A meter must be installed in the discharge pile, near the point of diversion, and accurate measurements must be kep f water placed to beneficial use. It is understood that this right must low for a reasonable lowering of the static water level. This source s located within an area designated by the State Engineer pursuant to ection 4 of the 1939 Ground-Water Act (Chap. 178, Stats. 1939 as amende erefore the State retains the right to regulate the use of the water erein granted at any and all times. The amount of water to be appropriated shall be limited to the amount thich can be applied to beneficial use, and not to exceed 0.50  ubic feet per second.  Actual construction work shall begin on or before October 5, 1955  proof of commencement of work shall be filed before November 5, 1955  ork must be prosecuted with reasonable diligence and be completed on or efore October 5, 1956  pplication of water to beneficial use shall be made on or before October 5, 1957  proof of completion of work shall be filed before November 5, 1956  pplication of water to beneficial use shall be made on or before October 5, 1957  proof of completion of work shall be filed before November 5, 1957  proof of completion of work shall be made on or before October 5, 1957  proof of completion of work shall be filed before November 5, 1957  proof of Completion of work sided NOVE 1955  WITNESS MY HAND AND SEAL this 5the day of of completion of work sided NOVE 1958  WITNESS MY HAND AND SEAL this 5the day of of completion of work sided NOVE 1958  WITNESS MY HAND AND SEAL this 5the day of of completion of work sided NOVE 1958  WITNESS MY HAND AND SEAL this 5the day 1958  State Engineer 1959  State Engineer 1950	nd do hereby grant the same, subject to the following limitations ar	d
alley Water District, and is limited to what the well will produce but of the exceed 0.50 c.f.s. A meter must be installed in the discharge pind in the point of diversion, and accurate measurements must be kep f water placed to beneficial use. It is understood that this right must low for a reasonable lowering of the static water level. This source stocated within an area designated by the State Engineer pursuant to ection 4 of the 1939 Ground-Water Act (Chap. 178, Stats. 1939 as amende herefore the State retains the right to regulate the use of the water erein granted at any and all times. The amount of water to be appropriated shall be limited to the amount thich can be applied to beneficial use, and not to exceed 0.50 mubic feet per second.  Actual construction work shall begin on or before October 5, 1955 where the state retains the right to regulate the use of the water erein granted at any and all times. The amount of water to be appropriated shall be limited to the amount thich can be applied to beneficial use, and not to exceed 0.50 mubic feet per second.  Actual construction work shall begin on or before November 5, 1955 where the prosecuted with reasonable diligence and be completed or or before October 5, 1956.  Toof of completion of work shall be filed before. November 5, 1956 pplication of water to beneficial use shall be made on or before.  October 5, 1957 Proof of the application of water to beneficial se must be filed with State Engineer on or before November 5, 1957 where the filed with State Engineer on or before November 5, 1957 where the filed with State Engineer on or before November 5, 1957 where the filed with State Engineer on or before November 5, 1957 where the filed work filed of Completion of Work filed of Co	onditions: This permit is issued subject to existing rights and	is
or to exceed 0.50 c.r.s. A meter must be installed in the discharge point of diversion, and accurate measurements must be kep f water placed to beneficial use. It is understood that this right mus flow for a reasonable lowering of the static water level. This source is located within an area designated by the State Engineer pursuant to ection 4 of the 1939 Ground-Water Act (Chap. 176, Stats. 1939 as amende herefore the State retains the right to regulate the use of the water erein granted at any and all times. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50 mubic feet per second.  The amount of work shall begin on or before 0ctober 5, 1955 mubic feet per second.  The construction work shall be filed before November 5, 1955 mubic feet per second with reasonable diligence and be completed on or before 0ctober 5, 1956  The formal of completion of work shall be filed before. November 5, 1956 mubic feet before 1957 mubic feet to beneficial use shall be made on or before 0ctober 5, 1957 must be filed with State Engineer on or before November 5, 1957 must be filed with State Engineer on or before November 5, 1957 must be filed with State Engineer on or before November 5, 1957 must be filed with State Engineer on or before November 5, 1957 must be filed with State Engineer on or before November 5, 1957 must be filed with State Engineer on or before November 5, 1957 must be filed with State Engineer on or before November 5, 1957 must be filed November 1958 of April 1955 must be filed November 1958	urther subject to revocation when water is available from the Last	Wegas
If water placed to beneficial use. It is understood that this right mus llow for a reasonable lowering of the static water level. This source is located within an area designated by the State Engineer pursuant to ection 4 of the 1939 Ground-Water Act (Chap. 176, Stats. 1939 as amende herefore the State retains the right to regulate the use of the water erein granted at any and all times. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50 mubic feet per second.  In the construction work shall begin on or before October 5, 1955 work must be prosecuted with reasonable diligence and be completed on or before October 5, 1956 work must be prosecuted with reasonable diligence and be completed on or before October 5, 1956 work must be prosecuted with reasonable diligence and be completed on or before October 5, 1956 work must be filed with shall be filed before. November 5, 1956 work filed of completion of water to beneficial use shall be made on or before October 5, 1957 with the state Engineer on or before November 5, 1957 with the state Engineer on or before November 5, 1957 with the state Engineer on or before November 5, 1957 with the state Engineer on or before November 5, 1957 with the state Engineer on or before November 5, 1957 with the state Engineer on or before November 5, 1957 with the state Engineer of April 1955 with the state Engineer of April 1955 of April 1955 with Engineer 1955 w	of to exceed 0.50 c.i.s. A meter must be installed in the dischar	rge oi
s located within an area designated by the State Engineer pursuant to ection 4 of the 1939 Ground-Water Act (Chap. 178, Stats. 1939 as amende herefore the State retains the right to regulate the use of the water erein granted at any and all times. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50 mubic feet per second.  Setual construction work shall begin on or before 0ctober 5, 1955 work must be prosecuted with reasonable diligence and be completed or or before 0ctober 5, 1956  Troof of completion of work shall be filed before. November 5, 1956 pplication of water to beneficial use shall be made on or before 0ctober 5, 1957 . Proof of the application of water to beneficial use shall be made on or before 0ctober 5, 1957 . Proof of the application of water to beneficial use shall be made on or before 0ctober 5, 1957 . Proof of the application of water to beneficial use filed with State Engineer on or before November 5, 1957 as files AUG 16 1954 WITNESS MY HAND AND SEAL this 5th day of of completon of work filed 0017 7 1955 of April 1955 of April 1955 . State Engineer 12 1850 CERTIFICAL USE FILED NOV 2 3 1931 CERTIFICAL USE FILED	I water placed to beneficial use. It is understood that this right	t mus
the amount of water to be appropriated shall be limited to the amount thich can be applied to beneficial use, and not to exceed 0.50 mubic feet per second.  Actual construction work shall begin on or before 0ctober 5, 1955 proof of commencement of work shall be filed before November 5, 1955 pork must be prosecuted with reasonable diligence and be completed on or defore 0ctober 5, 1956 proof of completion of work shall be filed before November 5, 1956 proof of completion of water to beneficial use shall be made on or before 0ctober 5, 1957 proof of the application of water to beneficial use must be filed with State Engineer on or before November 5, 1957 proof of Completion of work filed 0CT 7 1955 of April 1	S located within an area designated by the State Engineer nursuant	+0
The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50 mubic feet per second.  Actual construction work shall begin on or before 0ctober 5, 1955 proof of commencement of work shall be filed before November 5, 1955 por must be prosecuted with reasonable diligence and be completed on or before 0ctober 5, 1956 proof of completion of work shall be filed before. November 5, 1956 proof of completion of water to beneficial use shall be made on or before 0ctober 5, 1957 proof of the application of water to beneficial use must be filed with State Engineer on or before November 5, 1957 proof of commencement of work filed 0CT 7 1955 of April	herefore the State retains the right to regulate the use of the wa	ter
ctual construction work shall begin on or before October 5, 1955  roof of commencement of work shall be filed before November 5, 1955  ork must be prosecuted with reasonable diligence and be completed on or before October 5, 1956  roof of completion of work shall be filed before November 5, 1956  pplication of water to beneficial use shall be made on or before October 5, 1957  Proof of the application of water to beneficial use must be filed with State Engineer on or before November 5, 1957  See must be filed with State Engineer on or before November 5, 1957  WITNESS MY HAND AND SEAL this 5th day of of commencement of work filed NOV 2, 1955  OCF OF BENEFICIAL USE FILED NOV 2, 1955  CERTIFICATE NO. 78.1 ISSUED 9  218 RECORDED NOVEMBER 1, 1955  CERTIFICATE NO. 78.1 ISSUED 9  218 RECORDED NOVEMBER 1, 1955  CERTIFICATE NO. 78.1 ISSUED 9  218 RECORDED NOVEMBER 1, 1955  State Engineer.	he amount of water to be appropriated shall be limited to the amount	
roof of commencement of work shall begin on or before October 5, 1955  ork must be prosecuted with reasonable diligence and be completed on or before October 5, 1956  roof of completion of work shall be filed before. November 5, 1956  roof of completion of work shall be filed before. November 5, 1956  pplication of water to beneficial use shall be made on or before  October 5, 1957 . Proof of the application of water to beneficial se must be filed with State Engineer on or before November 5, 1957  State Engineer. October 5, 1954  WITNESS MY HAND AND SEAL this 5th day of of commencement of work filed NOV 2 1955  OCF OF BENEFICIAL USE FILED NOV 2 1951  CERTIFICATE No. 1511 ISSUED	hich can be applied to beneficial use, and not to exceed 0.50	
roof of commencement of work shall be filed before November 5, 1955  ork must be prosecuted with reasonable diligence and be completed on or  before October 5, 1956  roof of completion of work shall be filed before. November 5, 1956  pplication of water to beneficial use shall be made on or before.  October 5, 1957 . Proof of the application of water to beneficial use must be filed with State Engineer on or before November 5, 1957  State Engineer.  OCF OF BENEFICIAL USE FILED NOV 2 1951  CERTIFICATE No. 18 11 ISSUED.  PAGE 1850 PA	ubic feet per second.	
ork must be prosecuted with reasonable diligence and be completed on or efore October 5, 1956  roof of completion of work shall be filed before. November 5, 1956  pplication of water to beneficial use shall be made on or before.  October 5, 1957 . Proof of the application of water to beneficial se must be filed with State Engineer on or before November 5, 1957  se filed AUG 16 1954	ctual construction work shall begin on or before October 5, 1955	. :
ork must be prosecuted with reasonable diligence and be completed on or efore October 5, 1956  roof of completion of work shall be filed before. November 5, 1956  pplication of water to beneficial use shall be made on or before.  October 5, 1957 . Proof of the application of water to beneficial se must be filed with State Engineer on or before November 5, 1957  Se filed AUG 16 1954	roof of commencement of work shall be filed before November 5, 1955	
roof of completion of work shall be filed before. November 5, 1956  pplication of water to beneficial use shall be made on or before.  October 5, 1957. Proof of the application of water to beneficial se must be filed with State Engineer on or before November 5, 1957.  Se files AUG 16 1954  WITNESS MY HAND AND SEAL this 5th day of of commencement of work filed 1955 of April 1955  OCF OF BENEFICIAL USE FILED NOV 2 1951  CERTIFICATE No. 7811 ISSUED.	ork must be prosecuted with reasonable diligence and be completed or	or
pplication of water to beneficial use shall be made on or before  October 5, 1957  Proof of the application of water to beneficial  se must be filed with State Engineer on or before November 5, 1957  WITNESS MY HAND AND SEAL this 5th day  of of commencement of work filed 0017 7 1955  GOF OF BENEFICIAL USE FILED NOV 2 1951  CERTIFICATE No. 7811 ISSUED  PAGE 2076  State Engineer.		
October 5, 1957 Proof of the application of water to beneficial se must be filed with State Engineer on or before November 5, 1957  WITNESS MY HAND AND SEAL this 5th day of of commencement of work filed NOV 2 1955  OCF OF BENEFICIAL USE FILED NOV 2 1957  PAGE 218  RECORDED 15 1954  State Engineer		6
October 5, 1957 Proof of the application of water to beneficial se must be filed with State Engineer on or before November 5, 1957 AUG 16 1954  WITNESS MY HAND AND SEAL this 5th day of of commencement of work filed NOV 2 1955 of April 1955  OCF OF BENEFICIAL USE FILED NOV 2 1951 PAGE 1955 OF April 1955 State Engineer.		: :
se must be filed with State Engineer on or before November 5, 1957  AUG 16 1954  WITNESS MY HAND AND SEAL this 5th day of of commencement of work filed 00TV 7 1955 GOOF OF BENEFICIAL USE FILED NOV 2 0 1951  CERTIFICATE No. 1811 ISSUED  PAGE 218 RECORDED 1952  State Engineer.		<u>\$</u>
witness my hand and seal this 5th day of of commencement of work filed 007 7 1955 of April 1955 OF OF BENEFICIAL USE FILED NOV 2 0 1980 CERTIFICATE No. 7811 ISSUED PACE 1850 PACE 1950 State Engineer.	October 5, 1957 . Proof of the application of water to benefic	ial
of of commencement of work filed OCTV 7 1955 Gol of Completion of work filed MINVS 1958 of April 1955  CERTIFICATE No. 1811 ISSUED  PACTOR PROPRIES  State Engineer.	se must be filed with State Engineer on or before November 5, 1957	
CERTIFICATE No. 781 ISSUED PACIFICATE NO. 78	TIME COMMITTED THE COMMITTE	day
CERTIFICATE No. 7811 ISSUED 9-1-12  CERTIFICATE No. 7811 ISSUED 9-1-12  PACTO 218  PRECORDED 9-6-72 BIS 361 PACTO 20786  State Engineer.	of of commencement of work filed OCT 7 1955 vool of Completion of work filed MINVS 1956	
PACY 218 RECORDED 9- 6-72 BLJ LI PACY 20786 State Engineer.	OOF OF BENEFICIAL USE FILED NOV 2 1957	0
CLAYK ARROCATE WING 2774 2 Ration	CINITION	-
	CLAYK CONTREGREE BY 2774 2 Ration	• 0